Emergency Blood & MTP @ UMHW

Yvonne Prowant, TPM and Krystal Johnson, Blood Bank Supervisor



Answer: Emergency Release Cooler taken to ED by lab when trauma code is paged.


- We worked with lab to create a 'ready cooler' of 2 units of 'O' RBC
- Cooler arrives at trauma bay and lab staff stays until released by surgeon.
- The cooler can be kept by the trauma team for up to 4 hrs.





How does Lab do it?

- Vocera page
 - "Type"
 - Stroke, Alert, Code or MTP
 - Pt sex/age
 - ETA
- Cooler insert 2 Grp O RBC
 - Rh dependent on page
- Color wrist band
- Dispatched
 - 1st: Phlebotomy
 - 2nd: Specimen processing
 - 3rd: Technologist in core lab







How does Lab track it?

- Emergency Release Binder
 - Individual units
 - Trauma code
 - MTP
- Used for QC and PI
 - Call, ready & issue
 - Trauma codes
 - <2 min
 - MTP
 - <7 min
- Data sent monthly
 - Quality
 - Trauma coordinator





How does BB prepare the coolers?

- BB daily tasks
 - Check outdates and rotate stock when <7 days exp
 - Checking temperature indicators
- All shifts responsible for 'refill' when used
- Multiple safety checks
 - Daily
 - Prior to release
 - Upon cooler return





When MTP is required

- An MTP is paged via Vocera, much like an RRT or ERT
- The response is by 2 RNs trained in MTP; one from the ED, one from the ICU
- The MTP coolers are pre-ready in the blood bank
- Someone from the unit the patient is on goes to the Blood Bank with a pt sticker to retrieve the cooler



Details of MTP Process

- MTP paged via Vocera
- Blood bank prepares cooler. The platelet cooler is 'room temperature' controlled. The red cooler is 'cooled'.
- MTP cooler retrieved from blood bank.
- Colored wristband affixed to trauma code cooler and second wristband affixed to patient.
 - The color of this wristband is matched with each new cooler
- Charting completed on paper record that travels with the patient throughout the MTP



Details of the Process

- Reconciliation is performed at the end of MTP
- Reconciliation
 is requested by
 Blood Bank for
 the total
 number of
 products issued
 to patient.

 A total volume of each type of unit is added to I/O flowsheet.



A big thanks to McLaren in Petoskey for sharing their process 5 years ago.

A PI team was formed and customized their process for UMHW.



