Discussion - Timing of OR in Head Injury


Jason Heth, MD Mark Hemmila, MD



Question 9

What is the maximum duration of an orthopedic surgery operation that you are comfortable with in a moderate to severe TBI patient with a stable exam and/or stable/non-concerning ICP monitor readings?






ANSWER CHOICES	▼ RESPONSES	•
▼ <1 hour	5.26%	2
▼ 2 hours	18.42%	7
▼ 3 hours	23.68%	9
▼ 4 hours or more	52.63%	20
TOTAL		38

Question 9 (Neurosurgeon)

What is the maximum duration of an orthopedic surgery operation that you are comfortable with in a moderate to severe TBI patient with a stable exam and/or stable/non-concerning ICP monitor readings?






ANSWER CHOICES	▼ RESPONSES	•
▼ <1 hour	0.00%	0
▼ 2 hours	0.00%	0
▼ 3 hours	36.36%	4
▼ 4 hours or more	63.64%	7
TOTAL		11

Question 10

Do you allow stable TBI patients to go to the OR with an ICP monitor for repair of non-life threatening injuries?






ANSWER CHOICES	•	RESPONS	SES ▼
▼ Yes		70.00%	28
 No, I wait until the ICP monitor is discontinued before allowing operative intervention for non-life threatening injuries. 		30.00%	12
TOTAL			40

Question 10 (Neurosurgeon)

Do you allow stable TBI patients to go to the OR with an ICP monitor for repair of non-life threatening injuries?

Answered: 11 Skipped: 0



ANSWER CHOICES	*	RESPONS	SES ▼
▼ Yes		90.91%	10
 No, I wait until the ICP monitor is discontinued before allowing operative intervention for non-life threatening injuries. 		9.09%	1
TOTAL			11